

Fossil Group Battery List

7/27/2026

Battery model(s)	Battery Category	Version	Battery Manufacturer	Place of Manufacture	Date of Manufacture	Battery Weight (g)	Battery chemistry	Present hazardous substances	Usable extinguishing agent	Critical raw materials present in the battery in a concentration of more than 0.1% weight	Minimum average duration (MAD) for primary (non-rechargeable) batteries (Years)
317	Silver Oxide	1-Jan-26	Reneta SA Kreuzenstrasse 30, CH-4452 Itingen, Switzerland	Switzerland	Refer to date code of battery	0.18	Zinc/NaOH Electrolyte/Silver Oxide	N/A	Any class of extinguisher is effective	N/A	1 to 2
321	Silver Oxide	1-Jan-26	Reneta SA Kreuzenstrasse 30, CH-4452 Itingen, Switzerland	Switzerland	Refer to date code of battery	0.25	Zinc/NaOH Electrolyte/Silver Oxide	N/A	Any class of extinguisher is effective	N/A	1 to 2
362	Silver Oxide	1-Jan-26	Reneta SA Kreuzenstrasse 30, CH-4452 Itingen, Switzerland	Switzerland	Refer to date code of battery	0.40	Zinc/NaOH Electrolyte/Silver Oxide	N/A	Any class of extinguisher is effective	N/A	1 to 3
364	Silver Oxide	1-Jan-26	Reneta SA Kreuzenstrasse 30, CH-4452 Itingen, Switzerland	Switzerland	Refer to date code of battery	0.31	Zinc/NaOH Electrolyte/Silver Oxide	N/A	Any class of extinguisher is effective	N/A	1 to 3
371	Silver Oxide	1-Jan-26	Reneta SA Kreuzenstrasse 30, CH-4452 Itingen, Switzerland	Switzerland	Refer to date code of battery	0.59	Zinc/NaOH Electrolyte/Silver Oxide	N/A	Any class of extinguisher is effective	N/A	1 to 2
379	Silver Oxide	1-Jan-26	Reneta SA Kreuzenstrasse 30, CH-4452 Itingen, Switzerland	Switzerland	Refer to date code of battery	0.23	Zinc/NaOH Electrolyte/Silver Oxide	N/A	Any class of extinguisher is effective	N/A	1 to 3
395	Silver Oxide	1-Jan-26	Reneta SA Kreuzenstrasse 30, CH-4452 Itingen, Switzerland	Switzerland	Refer to date code of battery	0.73	Zinc/NaOH Electrolyte/Silver Oxide	N/A	Any class of extinguisher is effective	N/A	1 to 3
MT516	Rechargeable Lithium Coin Cell Battery	1-Jan-26	Panasonic Energy Co., Ltd. 1-1 Matsushita-cho, Moriguchi-city, Osaka, 570-8511, Japan	Indonesia	Printed on the side of the battery	0.14	<i>Manganese Titanium Rechargeable Lithium Batteries</i>	N/A	<i>Alcohol-resistant foam & dry sand are effective</i>	Unknown	N/A
MT621	Lithium	1-Jan-26	Panasonic Energy Co., Ltd. 1-1 Matsushita-cho, Moriguchi-city, Osaka, 570-8511, Japan	Japan	Printed on the side of the battery	0.25	<i>Manganese Titanium Lithium</i>	N/A	<i>Foam Fire-Extinguishing Agent, Dry Sand</i>	N/A	N/A
MT621	Rechargeable Lithium Coin Cell Battery	1-Jan-26	Panasonic Energy Co., Ltd. 1-1 Matsushita-cho, Moriguchi-city, Osaka, 570-8511, Japan	Indonesia	Printed on the side of the battery	0.23	<i>Manganese Titanium Rechargeable Lithium Batteries</i>	N/A	<i>Alcohol-resistant foam & dry sand are effective</i>	Unknown	N/A
SR512SW	Silver Oxide	1-Jan-26	Tohoku Murata Manufacturing Co., Ltd 1-1 Shimosugishita, Takakura, Hiwada-machi, Koriyama-shi, Fukushima 963-0531 JAPAN	Japan	Refer to date code of battery	0.14	Silver Oxide/Manganese Dioxide/NaOH + Zinc/KOH	N/A	Any class of extinguisher is effective	N/A	2 to 3

Fossil Group Battery List

7/27/2026

Battery model(s)	Battery Category	Version	Battery Manufacturer	Place of Manufacture	Date of Manufacture	Battery Weight (g)	Battery chemistry	Present hazardous substances	Usable extinguishing agent	Critical raw materials present in the battery in a concentration of more than 0.1% weight	Minimum average duration (MAD) for primary (non-rechargeable) batteries (Years)
SR516SW	Silver Oxide	1-Jan-26	Tohoku Murata Manufacturing Co., Ltd 1-1 Shimosugishita, Takakura, Hiwada-machi, Koriyama-shi, Fukushima 963-0531 JAPAN	Japan	Refer to date code of battery	0.18	Silver Oxide/Manganese Dioxide/NaOH + Zinc/KOH	N/A	Any class of extinguisher is effective	N/A	2 to 3
SR516SW	Silver Oxide	1-Jan-26	Tohoku Murata Manufacturing Co., Ltd 1-1 Shimosugishita, Takakura, Hiwada-machi, Koriyama-shi, Fukushima 963-0531 JAPAN	Japan	Refer to date code of battery	0.18	Silver Oxide/Manganese Dioxide/NaOH + Zinc/KOH	N/A	Any class of extinguisher is effective	N/A	3
SR521SW	Silver Oxide	1-Jan-26	Tohoku Murata Manufacturing Co., Ltd 1-1 Shimosugishita, Takakura, Hiwada-machi, Koriyama-shi, Fukushima 963-0531 JAPAN	Japan	Printed on the side of the battery	0.24	<i>Zinc/NaOH Electrolyte/Silver Oxide</i>	N/A	<i>Any class of extinguisher is effective</i>	N/A	1 to 3
SR521SW	Silver Oxide	1-Jan-26	Maxell, Ltd., Energy Division 5, Takumidai, Ono-shi, Hyogo 675-1322, Japan	Japan	Refer to date code of battery	0.20	Silver Oxide/Manganese Dioxide/NaOH + Zinc/KOH	N/A	Any class of extinguisher is effective	N/A	1 to 3
SR521SW	Silver Oxide	5-Jan-2026	Seiko Instruments Inc. 45-1, Aza-Matsubara, Kami Ayashi, Aoba-ku, Sendai-shi, Miyagi 989-3124, Japan	Japan	Refer to date code of battery	0.24	Zinc Silver Oxide Manganese Dioxide Sodium Hydroxide (or Potassium Hydroxide)	N/A	Water, dry sand, and all types of fire extinguishers are effective.	N/A	1-4
SR521SW	Silver Oxide	1-Jan-26	Tohoku Murata Manufacturing Co., Ltd 1-1 Shimosugishita, Takakura, Hiwada-machi, Koriyama-shi, Fukushima 963-0531 JAPAN	Japan	Refer to date code of battery	0.23	Silver Oxide/Manganese Dioxide/NaOH + Zinc/KOH	N/A	Any class of extinguisher is effective	N/A	2
SR616SW	Silver Oxide	1-Jan-26	Tohoku Murata Manufacturing Co., Ltd 1-1 Shimosugishita, Takakura, Hiwada-machi, Koriyama-shi, Fukushima 963-0531 JAPAN	Japan	Printed on the side of the battery	0.27	<i>Zinc/NaOH Electrolyte/Silver Oxide</i>	N/A	<i>Any class of extinguisher is effective</i>	N/A	1 to 3
SR616SW	Silver Oxide	1-Jan-26	Maxell, Ltd., Energy Division 5, Takumidai, Ono-shi, Hyogo 675-1322, Japan	Japan	Refer to date code of battery	0.30	Silver Oxide/Manganese Dioxide/NaOH + Zinc/KOH	N/A	Any class of extinguisher is effective	N/A	1.5 to 3
SR616SW	Silver Oxide	1-Jan-26	Tohoku Murata Manufacturing Co., Ltd 1-1 Shimosugishita, Takakura, Hiwada-machi, Koriyama-shi, Fukushima 963-0531 JAPAN	Japan	Refer to date code of battery	0.25	Silver Oxide/Manganese Dioxide/NaOH + Zinc/KOH	N/A	Any class of extinguisher is effective	N/A	2
SR621SW	Silver Oxide	1-Jan-26	Tohoku Murata Manufacturing Co., Ltd 1-1 Shimosugishita, Takakura, Hiwada-machi, Koriyama-shi, Fukushima 963-0531 JAPAN	Japan	Printed on the side of the battery	0.32	<i>Zinc/NaOH Electrolyte/Silver Oxide</i>	N/A	<i>Any class of extinguisher is effective</i>	N/A	1 to 3
SR621SW	Silver Oxide	1-Jan-26	Maxell, Ltd., Energy Division 5, Takumidai, Ono-shi, Hyogo 675-1322, Japan	Japan	Refer to date code of battery	0.30	Silver Oxide/Manganese Dioxide/NaOH + Zinc/KOH	N/A	Any class of extinguisher is effective	N/A	1 to 2

Fossil Group Battery List

7/27/2026

Battery model(s)	Battery Category	Version	Battery Manufacturer	Place of Manufacture	Date of Manufacture	Battery Weight (g)	Battery chemistry	Present hazardous substances	Usable extinguishing agent	Critical raw materials present in the battery in a concentration of more than 0.1% weight	Minimum average duration (MAD) for primary (non-rechargeable) batteries (Years)
SR621SW	Silver Oxide	5-Jan-2026	Seiko Instruments Inc. 45-1, Aza-Matsubara, Kami Ayashi, Aoba-ku, Sendai-shi, Miyagi 989-3124, Japan	Japan	Refer to date code of battery	0.31	Zinc Silver Oxide Manganese Dioxide Sodium Hydroxide (or Potassium Hydroxide)	N/A	Water, dry sand, and all types of fire extinguishers are effective.	N/A	1-4
SR621SW	Silver Oxide	1-Jan-26	Tohoku Murata Manufacturing Co., Ltd 1-1 Shimosugishita, Takakura, Hiwada-machi, Koriyama-shi, Fukushima 963-0531 JAPAN	Japan	Refer to date code of battery	0.31	Silver Oxide/Manganese Dioxide/NaOH + Zinc/KOH	N/A	Any class of extinguisher is effective	N/A	3
SR626SW	Silver Oxide	1-Jan-26	Tohoku Murata Manufacturing Co., Ltd 1-1 Shimosugishita, Takakura, Hiwada-machi, Koriyama-shi, Fukushima 963-0531 JAPAN	Japan	Printed on the side of the battery	0.37	Zinc/NaOH Electrolyte/Silver Oxide	N/A	Any class of extinguisher is effective	N/A	1 to 3
SR626SW	Silver Oxide	1-Jan-26	Maxell, Ltd., Energy Division 5, Takumidai, Ono-shi, Hyogo 675-1322, Japan	Japan	Printed on the side of the battery	0.37	Zinc/NaOH Electrolyte/Silver Oxide	N/A	Any class of extinguisher is effective	N/A	1 to 3
SR626SW	Silver Oxide	5-Jan-2026	Seiko Instruments Inc. 45-1, Aza-Matsubara, Kami Ayashi, Aoba-ku, Sendai-shi, Miyagi 989-3124, Japan	Japan	Refer to date code of battery	0.37	Zinc Silver Oxide Manganese Dioxide Sodium Hydroxide (or Potassium Hydroxide)	N/A	Water, dry sand, and all types of fire extinguishers are effective.	N/A	1-4
SR626SW	Silver Oxide	1-Jan-26	Maxell, Ltd., Energy Division 5, Takumidai, Ono-shi, Hyogo 675-1322, Japan	Japan	Refer to date code of battery	0.40	Silver Oxide/Manganese Dioxide/NaOH + Zinc/KOH	N/A	Any class of extinguisher is effective	N/A	3
SR716SW	Silver Oxide	1-Jan-26	Tohoku Murata Manufacturing Co., Ltd 1-1 Shimosugishita, Takakura, Hiwada-machi, Koriyama-shi, Fukushima 963-0531 JAPAN	Japan	Refer to date code of battery	0.33	Silver Oxide/Manganese Dioxide/NaOH + Zinc/KOH	N/A	Any class of extinguisher is effective	N/A	3
SR721SW	Silver Oxide	1-Jan-26	Tohoku Murata Manufacturing Co., Ltd 1-1 Shimosugishita, Takakura, Hiwada-machi, Koriyama-shi, Fukushima 963-0531 JAPAN	Japan	Refer to date code of battery	0.39	Silver Oxide/Manganese Dioxide/NaOH + Zinc/KOH	N/A	Any class of extinguisher is effective	N/A	2 to 4
SR916SW	Silver Oxide	1-Jan-26	Tohoku Murata Manufacturing Co., Ltd 1-1 Shimosugishita, Takakura, Hiwada-machi, Koriyama-shi, Fukushima 963-0531 JAPAN	Japan	Printed on the side of the battery	0.50	Zinc/NaOH Electrolyte/Silver Oxide	N/A	Any class of extinguisher is effective	N/A	1 to 3
SR920SW	Silver Oxide	1-Jan-26	Maxell, Ltd., Energy Division 5, Takumidai, Ono-shi, Hyogo 675-1322, Japan	Japan	Refer to date code of battery	0.70	Silver Oxide/Manganese Dioxide/NaOH + Zinc/KOH	N/A	Any class of extinguisher is effective	N/A	1 to 2
SR920SW	Silver Oxide	5-Jan-2026	Seiko Instruments Inc. 45-1, Aza-Matsubara, Kami Ayashi, Aoba-ku, Sendai-shi, Miyagi 989-3124, Japan	Japan	Refer to date code of battery	0.60	Zinc Silver Oxide Manganese Dioxide Sodium Hydroxide (or Potassium Hydroxide)	N/A	Water, dry sand, and all types of fire extinguishers are effective.	N/A	1-4

Fossil Group Battery List

7/27/2026

Battery model(s)	Battery Category	Version	Battery Manufacturer	Place of Manufacture	Date of Manufacture	Battery Weight (g)	Battery chemistry	Present hazardous substances	Usable extinguishing agent	Critical raw materials present in the battery in a concentration of more than 0.1% weight	Minimum average duration (MAD) for primary (non-rechargeable) batteries (Years)
SR920SW	Silver Oxide	1-Jan-26	Maxell, Ltd., Energy Division 5, Takumidai, Ono-shi, Hyogo 675-1322, Japan	Japan	Refer to date code of battery	0.70	Silver Oxide/Manganese Dioxide/NaOH + Zinc/KOH	N/A	Any class of extinguisher is effective	N/A	3 to 5
SR927SW	Silver Oxide	1-Jan-26	Tohoku Murata Manufacturing Co., Ltd 1-1 Shimosugishita, Takakura, Hiwada-machi, Koriyama-shi, Fukushima 963-0531 JAPAN	Japan	Printed on the side of the battery	0.80	<i>Zinc/NaOH Electrolyte/Silver Oxide</i>	N/A	<i>Any class of extinguisher is effective</i>	N/A	1 to 3
SR927SW	Silver Oxide	1-Jan-26	Maxell, Ltd., Energy Division 5, Takumidai, Ono-shi, Hyogo 675-1322, Japan	Japan	Refer to date code of battery	0.80	Silver Oxide/Manganese Dioxide/NaOH + Zinc/KOH	N/A	Any class of extinguisher is effective	N/A	1 to 3
SR927SW	Silver Oxide	1-Jan-26	Tohoku Murata Manufacturing Co., Ltd 1-1 Shimosugishita, Takakura, Hiwada-machi, Koriyama-shi, Fukushima 963-0531 JAPAN	Japan	Refer to date code of battery	0.71	Silver Oxide/Manganese Dioxide/NaOH + Zinc/KOH	N/A	Any class of extinguisher is effective	N/A	1 to 3
SR927SW	Silver Oxide	1-Jan-26	Maxell, Ltd., Energy Division 5, Takumidai, Ono-shi, Hyogo 675-1322, Japan	Japan	Refer to date code of battery	0.80	Silver Oxide/Manganese Dioxide/NaOH + Zinc/KOH	N/A	Any class of extinguisher is effective	N/A	3
SR927W	Silver Oxide	1-Jan-26	Tohoku Murata Manufacturing Co., Ltd 1-1 Shimosugishita, Takakura, Hiwada-machi, Koriyama-shi, Fukushima 963-0531 JAPAN	Japan	Printed on the side of the battery	0.80	<i>Zinc/NaOH Electrolyte/Silver Oxide</i>	N/A	<i>Any class of extinguisher is effective</i>	N/A	1 to 3
SR936SW	Silver Oxide	5-Jan-2026	Seiko Instruments Inc. 45-1, Aza-Matsubara, Kami Ayashi, Aoba-ku, Sendai-shi, Miyagi 989-3124, Japan	Japan	Refer to date code of battery	0.99	Zinc Silver Oxide Manganese Dioxide Sodium Hydroxide (or Potassium Hydroxide)	N/A	Water, dry sand, and all types of fire extinguishers are effective.	N/A	1-4
TS920E	Rechargeable Lithium Coin Cell Battery	1-Jan-26	45-1, Aza-Matsubara, Kami Ayashi, Aoba-ku, Sendai-shi, Miyagi 989-3124, Japan	Japan	Printed on the side of the battery	0.46	<i>Lithium Rechargeable Battery</i>	N/A	<i>Dry sand and expanded vermiculite are effective</i>	Unknown	N/A